

References

- IMURA, Y., 2005. On the genus *Platycerus* (Coleoptera, Lucanidae) of Mt. Gongga Shan and Mt. Erlang Shan in west-central Sichuan, Southwest China. *Elytra, Tokyo*, **33**: 501–512.
- 2006 a. Correct identification of the *Platycerus* species (Coleoptera, Lucanidae) occurring on the Yunling Mountains in northwestern Yunnan, Southwest China. *Ibid.*, **34**: 119–125.
- 2006 b. The genus *Platycerus* of China (Coleoptera, Lucanidae). *Gekkan-Mushi, Tokyo*, (426): 23–32. (In Japanese, with English title.)
- & X. WAN, 2006. Occurrence of *Platycerus hongwonpyoi* (Coleoptera, Lucanidae) on Mt. Tianmu Shan of Zhejiang Province, East China. *Elytra, Tokyo*, **34**: 293–298.
- & L. BARTOLOZZI, 1994. Descriptions of two new species of *Platycerus* (Coleoptera, Lucanidae) from central Sichuan, Central China. *Elytra, Tokyo*, **22**: 139–143.
- TANIKADO, M., & N. OKUDA, 1994. Two new species of the genera *Ceruchus* and *Platycerus* (Coleoptera, Lucanidae) from the Qinling Mountains in Shaanxi Province, Central China. *Gekkan-Mushi, Tokyo*, (278): 4–9. (In Japanese, with English title and description.)
- & M. TABANA, 1997. Notes on the lucanid genus *Platycerus* (Coleoptera) in mainland China –Descriptions of two new species of the genus from the Daliang Mountains in southern Sichuan Province–. *Ibid.*, (316): 2–8. (In Japanese, with English title and description.)

Elytra, Tokyo, **37**(1): 81–82, May 29, 2009

New Records of *Merionoeda* Species (Coleoptera, Cerambycidae) from the Malay Peninsula

Yaheita YOKOI¹⁾ and Tatsuya NIISATO²⁾

¹⁾ Beerenkothen 33, 40882 Ratingen, Germany

²⁾ Bioindicator Co., Ltd., Yarai-chô 126, Shinjuku, Tokyo, 162-0805 Japan

Recently, we have reexamined the specimens of the genus *Merionoeda* collected in the Malay Peninsula, and determined the following four species without previous record from the area.

We would like to thank Mr. Carolus HOLZSCHUH for generously providing us with the paratype of *Merionoeda marginalis*, and Dr. Martin BAEHR of Zoologische Staatssammlung München for providing us with the material from the Karl E. HÜDEPOHL collection for a closer observation. Further, we thank Mr. Theodore L. CHILDERS for his critical reading of the original draft of this short paper.

Merionoeda calcarata PASCOE, 1869

PASCOE, 1869, Trans. Ent. Soc. London, (3), 7, p. 573; type area: Sarawak.

Specimens examined. Cameron Highlands, Pahang, W. Malaysia: 2 ♂♂, 1 ♀, III~IV-1985, local collector leg.; 9 ♂♂, 2 ♀♀, V~VII-1985, local collector leg.; 1 ♂, VII-1985; 1 ♀, VIII-1985; 1 ♀, VI-1985 (last three records from HÜDEPOHL collection).

Distribution. Borneo and Malay Peninsula (new record).

Merionoeda subulata PASCOE, 1869

PASCOE, 1869, Trans. Ent. Soc. London, (3), 7, p. 574; type area: Sarawak.

Specimens examined. Cameron Highlands, Pahang, West Malaysia (4 ♂♂): 1 ♂, V-1985; 1 ♂, VII-1985; 1 ♂, IX-1985; 1 ♂, XI-1985 (all records from HÜDEPOHL collection); 10 ♂♂, 10 ♀♀, III~IV-1985, local collector leg.; 10 ♂♂, 10 ♀♀, V~VI-1985, local collector leg.; 10 ♂♂, 4 ♀♀, VI-1987, R. de KEIZER leg.; 1 ♀, Kelantan, Pahang, VI-1999, local collector leg.

Notes. The specimens examined from the Malay Peninsula have, like many examples of the species from Sumatra and South Kalimantan, black head instead of the reddish yellow one as described for the holotype from Sarawak.

Distribution. Borneo and Malay Peninsula (new record).

Merionoeda (Merionoeda) marginalis HOLZSCHUH, 1991

HOLZSCHUH, 1991, FBVA, Berichte, (60), p. 38, fig. 40; type locality: NE. Bangkok, S. Thailand.

Specimens examined. Cameron Highlands, Pahang, West Malaysia (6 ♂♂, 3 ♀♀): 6 ♂♂, 1 ♀, V~VII-1985, local collector leg.; 2 ♀♀, X-1985 (all records from HÜDEPOHL collection).

Distribution. Thailand and Malay Peninsula (new record from the territory of Malaysia).

Notes. This species was described on the basis of the specimens from Ne. Bangkok, Hat Yai and Trang of southern Thailand.

Merionoeda (Ocytasia) pubicollis HOLZSCHUH, 1991

HOLZSCHUH, 1991, FBVA, Berichte, (60), p. 35, fig. 37; type locality: Ranong, S. Thailand.

Specimens examined. 1 ♂, Cameron Highlands, Pahang, West Malaysia, VIII-1985; 3 ♀♀, Fraser's Hill, Pahang, West Malaysia, 10~12-III-1990 T. NIISATO leg.

Distribution. Borneo and Malay Peninsula (new record from the territory of Malaysia).